





Material Safety Data Sheet (MSDS)

POLYMAT® Base HM

Polymeric Waterproofing membranes of PVC-P compound

Polymeric PVC-P waterproofing membranes, homogenous with high elongation for elasticity to absorb structural movements. Complies with the European Harmonised Standards EN 13967 and EN 13491 (Basement/Tunnel).

1. PRODUCT AND COMPANY IDENTIFICATION

Bitumat Company Ltd. 2nd Industrial City, 59th Street PO Box 7487, Dammam 31462

Kingdom of Saudi Arabia

Tel.: (+966-13) 812-1210 / 812-1213

Fax.: (+966-13) 812-1190 Email: customers@bitumat.com Website: www.bitumat.com

2. COMPOSITION / INFORMATION ON INGRIDIENTS

Plasticized polyvinylchloride compounded membranes in coils

3. POTENTIAL HAZARDS

Hazards information

Due to its formulation it does not need to be submitted to CEE 79/831 Standard concerning dangerous materials

FIRST AID MEASURES

Not required

5. FIRE FIGHTING MEASURES

Extinguishing media

> 350°C

Inflammability temperature suitable

Extinguishing powder, synthetic foam, and carbonic snow. Vaporized water, using monitors, will help to pull down

hydrochloric acid in particular.

Not to be used Special protective equipment More information

PVC resins due to their natural properties are not flammable. In normal conditions. PVC is an organic substance, and in particular conditions, having ignition source and air incoming, it can be flammable causing pungent and thick smokes, mainly composed by carbon dioxide, water vapour, carbon monoxide and hydrochloric acid. Breathing these smokes can cause inconvenience more or less dangerous to people, depending from time and intensity of exposure.

The normal means of fire-fighting can be used where PVC manufactures are present.

Due to low contents of CVM in PVC resins, it is practically impossible that explosions occur, considering the very high value required for explosion from 3.6 to 33% in volume)







Material Safety Data Sheet (MSDS)

POLYMAT® Base HM

6. ACCIDENTAL RELEASE MEASURES

Personal precautions No special precautions required

Environmental precautions None

Methods for cleaning up Clean & dispose of the material in accordance with local

regulations.

7. HANDLING AND STORAGE

Safe handling advice Material is safe to handle at normal ambient conditions.

Advice on Protection against fire and explosion Keep away from fire and sources of ignition.

Storage Normal warehouse conditions, away from heat and direct

sunlight.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering measures
Personal protective equipment
Respiratory protection
Hand protection
None
Gloves

Eye protection Safety glasses.

Hygiene measures Avoid contact with skin and eyes. Smoking, eating and drinking

should be avoided in the application area.

9. PHISICAL AND CHEMICAL PROPERTIES

Odour Practically odourless

Incompatible substancesNoneDangerous reactionNoneSafety measuresNoneWater SolubilityInsoluble

10. STABILITY AND REACTIVITY

Hazardous decomposition products None

11. INFORMATION ON TOXICITY

Skin irritation

General Toxicity Information

12. INFORMATION ON ECOLOGICAL EFFECTS

General Ecological Information No Eco toxicological studies available.







Material Safety Data Sheet (MSDS)

POLYMAT® Base HM

13. DISPOSAL

Waste Disposal Waste must be disposed off in accordance with federal, state

and local regulations.

14. TRANSPORT

PVC products are considered "not dangerous" for transportation by air, by sea and by land.

15. REGULATIONS

Labelling according to EEC Directive

Statutory basis/list Non-hazardous, safe to handle.

Symbol (s)

R-phrase (s) S16 - Keep away from sources of ignition

S-phrase (s) S41 - In case of fire and / or explosion do not breathe fumes

16. FURTHER INFORMATIONS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Approved: Bernard Weissenborn, CEO of BITUMAT LIMITED COMPANY, Dammam, KSA

Released: Jan. 28, 2021

MSDS VERSION: 02

Date: Jan. 28, 2021 Last Revision: 02